

FORCEPS

T I T A N I U M

FORCEPS**TC - Tungsten Carbide**

Tungsten carbide particles metallurgically fused to the jaw create a fine textured surface.

This extremely durable surface allows for the secure, atraumatic handling of delicate suture and tissue.

FORCEPS

OF 320

**CAPSULORHEXIS FORCEPS
CURVED, TITANIUM**



Overall length 120 mm, 4.7 inches

- Delicate shafts 11 mm long
- Sharp tips
- TC grasping tips
- Round handle 8 mm dia.

OF 321

**CAPSULORHEXIS FORCEPS
CURVED, TITANIUM**



Overall length 120 mm, 4.7 inches

- Delicate shafts 11 mm long
- Grasping tips
- TC grasping tips
- Round handle 8 mm dia.

OF 322

**CAPSULORHEXIS FORCEPS
CURVED, TITANIUM**



Overall length 120 mm, 4.7 inches

- Delicate shafts 11 mm long
- Sharp and grasping tips
- TC grasping tips
- Round handle 8 mm dia.

OF 320.03

**CAPSULORHEXIS FORCEPS
ANGLED, TITANIUM**



Overall length 120 mm, 4.7 inches

- Delicate shafts 11 mm long
- Sharp tips
- TC grasping tips
- Round handle 8 mm dia.

OF 321.03

**CAPSULORHEXIS FORCEPS
ANGLED, TITANIUM**



Overall length 120 mm, 4.7 inches

- Delicate shafts 11 mm long
- Grasping tips
- TC grasping tips
- Round handle 8 mm dia.

OF 322.03

**CAPSULORHEXIS FORCEPS
ANGLED, TITANIUM**



Overall length 120 mm, 4.7 inches

- Delicate shafts 11 mm long
- Sharp and grasping tips
- TC grasping tips
- Round handle 8 mm dia.

FORCEPS

OF 320.01
**CAPSULORHEXIS FORCEPS
CURVED, STAINLESS**

Overall length 120 mm, 4.7 inches

- Delicate shafts 11 mm long
- Sharp tips
- TC grasping tips
- Round handle 8 mm dia.

OF 321.01
**CAPSULORHEXIS FORCEPS
CURVED, STAINLESS**

Overall length 120 mm, 4.7 inches

- Delicate shafts 11 mm long
- Grasping tips
- TC grasping tips
- Round handle 8 mm dia.

OF 322.01
**CAPSULORHEXIS FORCEPS
CURVED, STAINLESS**

Overall length 120 mm, 4.7 inches

- Delicate shafts 11 mm long
- Sharp and grasping tips
- TC grasping tips
- Round handle 8 mm dia.

OF 320.02
**CAPSULORHEXIS FORCEPS
ANGLED, STAINLESS**

Overall length 120 mm, 4.7 inches

- Delicate shafts 11 mm long
- Sharp tips
- TC grasping tips
- Round handle 8 mm dia.

OF 321.02
**CAPSULORHEXIS FORCEPS
ANGLED, STAINLESS**

Overall length 120 mm, 4.7 inches

- Delicate shafts 11 mm long
- Grasping tips
- TC grasping tips
- Round handle 8 mm dia.

OF 322.02
**CAPSULORHEXIS FORCEPS
ANGLED, STAINLESS**

Overall length 120 mm, 4.7 inches

- Delicate shafts 11 mm long
- Sharp and grasping tips
- TC grasping tips
- Round handle 8 mm dia.

FORCEPS

OF 053

UTRATA CAPSULORHEXIS
FORCEPS CURVED, TITANIUM



Overall length 105 mm, 4.1 inches

- Delicate shafts 11 mm long
- Grasping tips
- TC grasping parts
- Flat handle 10 mm wide

OF 053.01

UTRATA CAPSULORHEXIS
FORCEPS CURVED, TITANIUM



Overall length 105 mm, 4.1 inches

- Delicate shafts 11 mm long
- Sharp tips
- TC grasping parts
- Flat handle 10 mm wide

OF 053.02

UTRATA CAPSULORHEXIS
FORCEPS CURVED, TITANIUM



Overall length 105 mm, 4.1 inches

- Delicate shafts 11 mm long
- Grasping tips with groove
- TC grasping parts
- Flat handle 10 mm wide

OF 054

UTRATA CAPSULORHEXIS
FORCEPS, TITANIUM



Overall length 105 mm, 4.1 inches

- Angled 45 degree
- Delicate shafts 11 mm long
- TC grasping parts
- Flat handle 10 mm wide

OF 054.01

UTRATA CAPSULORHEXIS
FORCEPS, TITANIUM



Overall length 105 mm, 4.1 inches

- Angled 45 degree
- Delicate shafts 11 mm long
- Sharp tips
- TC grasping parts
- Flat handle 10 mm wide

OF 054.02

UTRATA CAPSULORHEXIS
FORCEPS, TITANIUM



Overall length 100 mm, 3.9 inches

- Angled 45 degree
- Delicate shafts 11 mm long
- Tips with groove
- TC grasping parts
- Flat handle 10 mm wide

FORCEPS

OF 054.03

 UTRATA CAPSULORHESIS
FORCEPS, TITANIUM

Overall length 105 mm, 4.1 inches

- Angled 45 degree
- Delicate shafts 11 mm long
- Round grasping tips
- TC grasping tips
- Flat handle 10 mm wide

OF 025

 UTRATA CAPSULORHESIS
FORCEPS, TITANIUM

Overall length 105 mm, 4.1 inches

- Angled 45 degree
- Delicate shafts 11.5 mm long
- Round handle 8 mm dia.
- TC tips with groove

OF 025.01

 UTRATA CAPSULORHESIS
FORCEPS, TITANIUM

Overall length 105 mm, 4.1 inches

- Angled 45 degree
- Delicate shafts 11.5 mm long
- Round handle 8 mm dia.
- TC tips with groove

OF 057

 UTRATA CAPSULORHESIS
FORCEPS, TITANIUM

Overall length 105 mm, 4.1 inches

- Angled 45 degree
- Delicate shafts 11.5 mm long
- Grasping tips
- TC grasping tips
- Round handle 8 mm dia.

OF 057.01

 UTRATA CAPSULORHESIS
FORCEPS, TITANIUM

Overall length 105 mm, 4.1 inches

- Angled 45 degree
- Delicate shafts 11.5 mm long
- Sharp tips
- TC grasping tips
- Round handle 8 mm dia.

OF 057.02

 UTRATA CAPSULORHESIS
FORCEPS, TITANIUM

Overall length 105 mm, 4.1 inches

- Angled 45 degree
- Delicate shafts 11.5 mm long
- Grasping tips with groove
- TC grasping tips
- Round handle 8 mm dia.

FORCEPS

OF 100

UTRATA CAPSULORHEXIS
FORCEPS CURVED, TITANIUM



Overall length 105 mm, 4.1 inches

- Grasping tips
- Delicate 11.5 mm long shafts
- TC tips
- Round handle 8 mm dia.

OF 100.01

UTRATA CAPSULORHEXIS
FORCEPS CURVED, TITANIUM



Overall length 105 mm, 4.1 inches

- Sharp tips
- Delicate 11.5 mm long shafts
- TC tips
- Round handle 8 mm dia.

OF 100.02

UTRATA CAPSULORHEXIS
FORCEPS ANGLED, TITANIUM



Overall length 105 mm, 4.1 inches

- Sharp tips
- Delicate 11.5 mm long shafts
- TC tips
- Round handle 8 mm dia.

OF 147.03

CAPSULORHEXIS
FORCEPS ANGLED, TITANIUM



Overall length 105 mm, 4.1 inches

- Delicate 11.5 mm long shafts
- Sharp and grasping tips
- TC tips
- Round handle 8 mm dia.

OF 147.05

CAPSULORHEXIS
FORCEPS CURVED, TITANIUM



Overall length 105 mm, 4.1 inches

- Delicate 11.5 mm long shafts
- Sharp and grasping tips
- TC tips
- Round handle 8 mm dia.

FORCEPS

OF 105
**PRECHOPPER STRAIGHT,
TITANIUM**

Overall length 121 mm, 4.8 inches

- Cross action
- Maximum opening 3 mm
- Round handle 6.4 mm dia.

OF 106
**PRECHOPPER STRAIGHT,
TITANIUM**

Overall length 121 mm, 4.8 inches

- Cross action
- Maximum opening 3 mm
- Round handle 6.4 mm dia.

OF 107
**PRECHOPPER ANGLED,
TITANIUM**

Overall length 117 mm, 4.6 inches

- Cross action
- Maximum opening 3 mm
- Round handle 6.4 mm dia.

OF 108
**PRECHOPPER ANGLED,
TITANIUM**

Overall length 117 mm, 4.6 inches

- Cross action
- Maximum opening 3 mm
- Round handle 6.4 mm dia.

OF 109
**PRECHOPPER CURVED,
TITANIUM**

Overall length 119 mm, 4.7 inches

- Cross action
- Maximum opening 3 mm
- Round handle 6.4 mm dia.

OF 110
**PRECHOPPER CURVED,
TITANIUM**

Overall length 119 mm, 4.7 inches

- Cross action
- Maximum opening 3 mm
- Round handle 6.4 mm dia.

FORCEPS

OF 150.01

PRECHOPPER STRAIGHT,
STAINLESS



Overall length 121 mm, 4.8 inches

- Cross action
- Maximum opening 3 mm
- Round handle 6.4 mm dia.

OF 151.01

PRECHOPPER ANGLED,
STAINLESS



Overall length 117 mm, 4.6 inches

- Cross action
- Maximum opening 3 mm
- Round handle 6.4 mm dia.

OF 152.01

PRECHOPPER CURVED,
STAINLESS



Overall length 119 mm, 4.7 inches

- Cross action
- Maximum opening 3 mm
- Round handle 6.4 mm dia.

OF 164

PRECHOPPER STRAIGHT
COMBO, TITANIUM



Overall length 121 mm, 4.8 inches

- Cross action
- Maximum opening 3 mm
- Round handle 6.4 mm dia.

OF 090

NUCLEUS SPLITTER FORCEPS,
TITANIUM



Overall length 75 mm, 2.9 inches

- Cross action criss-cross serrated jaws
- To crush nucleus small segments for phaco
- Serrated external surface of paddle shaped tips
- Flat handle 9.8 mm wide
- 1.1 x 2.5 mm tips

OF 090.01

NUCLEUS SPLITTER FORCEPS,
TITANIUM



Overall length 75 mm, 2.9 inches

- Cross action criss-cross serrated jaws
- To crush nucleus small segments for phaco
- Serrated external surface of paddle shaped tips
- Flat handle 9.8 mm wide
- 1.7 x 2.8 mm tips

FORCEPS

OF 034

 CORNEAL FORCEPS COLIBRI
 TYPE, TITANIUM

Overall length 75 mm, 2.9 inches

- 1x2 teeth, 0.1 mm height
- 3.0 mm tying platform
- Tips 0.3 mm wide
- TC teeth and platforms
- Flat handle 9 mm wide

OF 156

 CORNEAL FORCEPS COLIBRI
 TYPE, TITANIUM

Overall length 75 mm, 2.9 inches

- 1x2 teeth, 0.1 mm height
- 3.0 mm tying platform
- Tips 0.3 mm wide
- TC teeth and platforms
- Flat handle 9 mm wide
- 90 degree teeth

OF 101

 TROUTMAN-BARRAQUER
 CORNEAL UTILITY FORCEPS
 (COLIBRI), TITANIUM

Overall length 75 mm, 2.9 inches

- 1x2 teeth, 0.12 mm height
- 3.0 mm tying platform
- Tips 0.3 mm wide
- TC teeth and platforms
- Flat handle 9 mm wide

OF 156.01

 TROUTMAN-BARRAQUER
 CORNEAL UTILITY FORCEPS
 (COLIBRI), TITANIUM

Overall length 75 mm, 2.9 inches

- 1x2 teeth, 0.12 mm height
- 3.0 mm tying platform
- Tips 0.3 mm wide
- TC teeth and platforms
- Flat handle 9 mm wide
- 90 degree teeth

OF 101.01

 TROUTMAN-BARRAQUER
 CORNEAL UTILITY FORCEPS
 (COLIBRI), TITANIUM

Overall length 75 mm, 2.9 inches

- 1x2 teeth, 0.2 mm height
- 3.0 mm tying platform
- Tips 0.3 mm wide
- TC teeth and platforms
- Flat handle 9 mm wide

OF 156.02

 TROUTMAN-BARRAQUER
 CORNEAL UTILITY FORCEPS
 (COLIBRI), TITANIUM

Overall length 75 mm, 2.9 inches

- 1x2 teeth, 0.2 mm height
- 3.0 mm tying platform
- Tips 0.3 mm wide
- TC teeth and platforms
- Flat handle 9 mm wide
- 90 degree teeth

FORCEPS

OF 035

TROUTMAN-BARRAQUEE
CORNEAL FORCEPS COLIBRI
TYPE, TITANIUM



Overall length 75 mm, 2.9 inches

- 1x2 teeth, 0.4 mm height
- 5.0 mm tying platform
- Tips 0.6 mm wide
- TC teeth and platforms
- Flat handle 9 mm wide

OF 156.03

TROUTMAN-BARRAQUEE
CORNEAL FORCEPS COLIBRI
TYPE, TITANIUM



Overall length 75 mm, 2.9 inches

- 1x2 teeth, 0.4 mm height
- 5.0 mm tying platform
- Tips 0.6 mm wide
- TC teeth and platforms
- Flat handle 9 mm wide
- 90 degree teeth

OF 003

CORNEAL FORCEPS
COLIBRI TYPE, TITANIUM



Overall length 100 mm, 3.9 inches

- 1x2 teeth, 0.1 mm height
- TC teeth
- Tips 0.3 mm wide
- Round handle 8 mm dia.

OF 003.02

CORNEAL FORCEPS
COLIBRI TYPE, TITANIUM



Overall length 100 mm, 3.9 inches

- 1x2 teeth, 0.1 mm height
- TC teeth
- Tips 0.3 mm wide
- Round handle 8 mm dia.
- 90 degree teeth

OF 003.01

OZAWA CORNEAL UTILITY
FORCEPS (COLIBRY), TITANIUM



Overall length 100 mm, 3.9 inches

- 1x2 teeth, 0.12 mm height
- TC teeth
- Tips 0.3 mm wide
- Round handle 8 mm dia.

OF 003.03

OZAWA CORNEAL UTILITY
FORCEPS (COLIBRY), TITANIUM



Overall length 100 mm, 3.9 inches

- 1x2 teeth, 0.12 mm height
- TC teeth
- Tips 0.3 mm wide
- Round handle 8 mm dia.
- 90 degree teeth

FORCEPS

OF 007
**GIRARD CORNEAL SCLERAL
FORCEPS COLIBRI TYPE,
TITANIUM**


Overall length 100 mm, 3.9 inches

- 1x2 teeth, 0.12 mm height
- 6.0 mm tying platform
- TC teeth and platforms
- Tips 0.3 mm wide
- Round handle 6 mm dia.

OF 005
**CATALANO CORNEAL FORCEPS
STRAIGHT, TITANIUM**

Overall length 90 mm, 3.5 inches

- 1x2 teeth, 0.1 mm height
- TC teeth
- Tips 0.3 mm wide
- Round handle 8 mm dia.

OF 074
**PAUFIQUE TYING SCLERAL
FORCEPS STRAIGHT, TITANIUM**

Overall length 85 mm, 3.3 inches

- 1x2 teeth, 0.3 mm height
- 6.0 mm tying platform
- Tips 0.5 mm wide
- TC teeth and platforms
- Flat handle 10 mm wide

OF 074.03
**PAUFIQUE TYING SCLERAL
FORCEPS STRAIGHT, TITANIUM**


Overall length 85 mm, 3.3 inches

- 1x2 teeth, 0.3 mm height
- 6.0 mm tying platform
- Tips 0.5 mm wide
- TC teeth and platforms
- Flat handle 10 mm wide
- 90 degree teeth

OF 074.01
**PAUFIQUE TYING SCLERAL
FORCEPS STRAIGHT, TITANIUM**

Overall length 85 mm, 3.3 inches

- 1x2 teeth, 0.5 mm height
- 6.0 mm tying platform
- Tips 0.8 mm wide
- TC teeth and platforms
- Flat handle 10 mm wide

OF 074.04
**PAUFIQUE TYING SCLERAL
FORCEPS STRAIGHT, TITANIUM**

Overall length 85 mm, 3.3 inches

- 1x2 teeth, 0.5 mm height
- 6.0 mm tying platform
- Tips 0.8 mm wide
- TC teeth and platforms
- Flat handle 10 mm wide
- 90 degree teeth

FORCEPS

OF 074.02

PAULIQUE TYING SCLERAL
FORCEPS STRAIGHT, TITANIUM

Overall length 85 mm, 3.3 inches

- 1x2 teeth, 0.8 mm height
- 6.0 mm tying platform
- Tips 1.2 mm wide
- TC teeth and platforms
- Flat handle 10 mm wide


OF 074.05

PAULIQUE TYING SCLERAL
FORCEPS STRAIGHT, TITANIUM

Overall length 85 mm, 3.3 inches

- 1x2 teeth, 0.8 mm height
- 6.0 mm tying platform
- Tips 1.2 mm wide
- TC teeth and platforms
- Flat handle 10 mm wide
- 90 degree teeth

OF 039

CASTROVIEJO TYING FORCEPS
STRAIGHT, TITANIUM

Overall length 87 mm, 3.5 inches

- 1x2 teeth, 0.1 mm height
- 6.0 mm tying platform
- Tips 0.3 mm wide
- TC teeth and platforms
- Flat handle 6 mm wide

OF 039.01

CASTROVIEJO TYING FORCEPS
STRAIGHT, TITANIUM

Overall length 87 mm, 3.5 inches

- 1x2 teeth, 0.2 mm height
- 6.0 mm tying platform
- Tips 0.4 mm wide
- TC teeth and platforms
- Flat handle 6 mm wide

OF 040

CASTROVIEJO CORNEAL TYING
FORCEPS, TITANIUM

Overall length 84 mm, 3.3 inches

- Angled 45 degree
- 1x2 teeth 0.1 mm height
- 6.0 mm tying platform
- Tips 0.3 mm wide
- TC teeth and platforms
- Flat handle 6 mm wide

OF 040.01

CASTROVIEJO CORNEAL TYING
FORCEPS, TITANIUM

Overall length 84 mm, 3.3 inches

- Angled 45 degree
- 1x2 teeth 0.2 mm height
- 6.0 mm tying platform
- Tips 0.4 mm wide
- TC teeth and platforms
- Flat handle 6 mm wide

FORCEPS

OF 041
**CASTROVIEJO TYING FORCEPS
CURVED, TITANIUM**


Overall length 85 mm, 3.3 inches

- 1x2 teeth, 0.1 mm height
- 6.0 mm tying platform
- Tips 0.3 mm wide
- TC teeth and platforms
- Flat handle 6 mm wide

OF 041.01
**CASTROVIEJO TYING FORCEPS
CURVED, TITANIUM**

Overall length 85 mm, 3.3 inches

- 1x2 teeth, 0.2 mm height
- 6.0 mm tying platform
- Tips 0.4 mm wide
- TC teeth and platforms
- Flat handle 6 mm wide

OF 061
**CASTROVIEJO TYING FORCEPS
STRAIGHT, TITANIUM**

Overall length 100 mm, 3.9 inches

- 1x2 teeth, 0.12 mm height
- 6.0 mm tying platform
- Tips 0.3 mm wide
- TC teeth and platforms
- Flat handle 7 mm wide

OF 082
**CASTROVIEJO TYING
FORCEPS, TITANIUM**


Overall length 98 mm, 3.9 inches

- Angled 45 degree
- 1x2 teeth, 0.12 mm height
- 6.0 mm tying platform
- Tips 0.3 mm wide
- TC teeth and platforms
- Flat handle 7 mm wide

OF 063
**CASTROVIEJO TYING FORCEPS
CURVED, TITANIUM**

Overall length 99 mm, 3.9 inches

- 1x2 teeth, 0.12 mm height
- 6.0 mm tying platform
- Tips 0.3 mm wide
- TC teeth and platforms
- Flat handle 7 mm wide

OF 045
**CASTROVIEJO TYING FORCEPS
STRAIGHT, TITANIUM**

Overall length 105 mm, 4.1 inches

- 1x2 teeth, 0.12 mm height
- 6.0 mm tying platform
- Tips 0.3 mm wide
- TC teeth and platforms
- Flat handle 10 mm wide

FORCEPS


OF 157

CASTROVIEJO TYING FORCEPS
STRAIGHT, TITANIUM

Overall length 105 mm, 4.1 inches

- 1x2 teeth, 0.12 mm height
- 6.0 mm tying platform
- Tips 0.3 mm wide
- TC teeth and platforms
- Flat handle 10 mm wide
- 90 degree teeth


OF 045.01

CASTROVIEJO TYING FORCEPS
STRAIGHT, TITANIUM

Overall length 105 mm, 4.1 inches

- 1x2 teeth, 0.3 mm height
- 6.0 mm tying platform
- Tips 0.5 mm wide
- TC teeth and platforms
- Flat handle 10 mm wide

OF 157.01

CASTROVIEJO TYING FORCEPS
STRAIGHT, TITANIUM

Overall length 105 mm, 4.1 inches

- 1x2 teeth, 0.3 mm height
- 6.0 mm tying platform
- Tips 0.5 mm wide
- TC teeth and platforms
- Flat handle 10 mm wide
- 90 degree teeth


OF 046

CASTROVIEJO TYING FORCEPS,
TITANIUM

Overall length 102 mm, 3.9 inches

- Angled 45 degree
- 1x2 teeth, 0.12 mm height
- 6.0 mm tying platform
- Tips 0.3 mm wide
- TC teeth and platforms
- Flat handle 10 mm wide

OF 046.01

CASTROVIEJO TYING FORCEPS,
TITANIUM

Overall length 102 mm, 3.9 inches

- Angled 45 degree
- 1x2 teeth, 0.3 mm height
- 6.0 mm tying platform
- Tips 0.5 mm wide
- TC teeth and platforms
- Flat handle 10 mm wide

OF 047

CASTROVIEJO TYING FORCEPS
CURVED, TITANIUM

Overall length 105 mm, 4.1 inches


- 1x2 teeth, 0.12 mm height
- 6.0 mm tying platform
- Tips 0.3 mm wide
- TC teeth and platforms
- Flat handle 10 mm wide

FORCEPS

OF 047.01
**CASTROVIEJO TYING
FORCEPS CURVED, TITANIUM**

Overall length 105 mm, 4.1 inches

- 1x2 teeth, 0.3 mm height
- 6.0 mm tying platform
- Tips 0.5 mm wide
- TC teeth and platforms
- Flat handle 10 mm wide

OF 082
**TENNAT TYING FORCEPS
STRAIGHT, TITANIUM**

Overall length 105 mm, 4.1 inches

- 1x2 teeth, 0.1 mm height
- 6.0 mm tying platform
- Tips 0.3 mm wide
- TC teeth and platforms
- Round handle 6 mm dia.

OF 082.01
**TENNAT TYING FORCEPS
STRAIGHT, TITANIUM**

Overall length 105 mm, 4.1 inches

- 1x2 teeth, 0.12 mm height
- 6.0 mm tying platform
- Tips 0.3 mm wide
- TC teeth and platforms
- Round handle 6 mm dia.

OF 083
**TENNAT CORNEAL TYING
FORCEPS, TITANIUM**

Overall length 102 mm, 4.0 inches

- Angled 45 degree
- 1x2 teeth, 0.1 mm height
- 6.0 mm tying platform
- Tips 0.3 mm wide
- TC teeth and platforms
- Round handle 6 mm dia.

OF 084
**TENNAT TYING FORCEPS
CURVED, TITANIUM**

Overall length 104 mm, 4.1 inches

- 1x2 teeth, 0.1 mm height
- 6.0 mm tying platform
- Tips 0.3 mm wide
- TC teeth and platforms
- Round handle 6 mm dia.

FORCEPS

OF 064

**McPHERSON TYING FORCEPS
STRAIGHT, TITANIUM**



Overall length 74 mm, 2.9 inches

- 4 mm tying platforms
- Tips 0.2 mm wide
- TC platforms
- Flat handle 6 mm wide

OF 065

**BONS TYING FORCEPS,
TITANIUM**



Overall length 72 mm, 2.8 inches

- Angled 45 degree
- 4 mm tying platforms
- Tips 0.2 mm wide
- TC platforms
- Flat handle 6 mm wide

OF 066

**USHER TYING FORCEPS
CURVED, TITANIUM**



Overall length 73 mm, 2.9 inches

- 4 mm tying platforms
- Tips 0.2 mm wide
- TC platforms
- Flat handle 6 mm wide

OF 036

**McPHERSON TYING FORCEPS
STRAIGHT, TITANIUM**



Overall length 87 mm, 3.4 inches

- 4 mm tying platforms
- Tips 0.3 mm wide
- TC platforms
- Flat handle 6 mm wide

OF 036.01

**McPHERSON TYING FORCEPS
STRAIGHT, TITANIUM**



Overall length 87 mm, 3.4 inches

- 6 mm tying platforms
- Tips 0.3 mm wide
- TC platforms
- Flat handle 6 mm wide

OF 036.02

**McPHERSON TYING FORCEPS
STRAIGHT, TITANIUM**



Overall length 87 mm, 3.4 inches

- 8 mm tying platforms
- Tips 0.3 mm wide
- TC platforms
- Flat handle 6 mm wide

FORCEPS

OF 037

 McPHERSON TYING FORCEPS,
TITANIUM

Overall length 84 mm, 3.3 inches

- Angled 45 degree
- 4 mm tying platforms
- Tips 0.3 mm wide
- TC platforms
- Flat handle 6 mm wide

OF 037.01

 McPHERSON TYING FORCEPS,
TITANIUM

Overall length 84 mm, 3.3 inches

- Angled 45 degree
- 6 mm tying platforms
- Tips 0.3 mm wide
- TC platforms
- Flat handle 6 mm wide

OF 037.02

 McPHERSON TYING FORCEPS,
TITANIUM

Overall length 84 mm, 3.3 inches

- Angled 45 degree
- 8 mm tying platforms
- Tips 0.3 mm wide
- TC platforms
- Flat handle 6 mm wide

OF 037.03

 McPHERSON TYING FORCEPS,
TITANIUM

Overall length 84 mm, 3.3 inches

- Angled 45 degree
- 10 mm tying platforms
- Tips 0.3 mm wide
- TC platforms
- Flat handle 6 mm wide

OF 038

 McPHERSON TYING FORCEPS
CURVED, TITANIUM

Overall length 87 mm, 3.4 inches

- 4 mm tying platforms
- Tips 0.3 mm wide
- TC platforms
- Flat handle 6 mm wide

OF 038.01

 McPHERSON TYING FORCEPS
CURVED, TITANIUM

Overall length 87 mm, 3.4 inches

- 6 mm tying platforms
- (OF 038.02) 8 mm tying platforms
- Tips 0.3 mm wide
- TC platforms
- Flat handle 6 mm wide

FORCEPS

OF 058

McPHERSON TYING FORCEPS
STRAIGHT, TITANIUM



Overall length 100 mm, 3.4 inches

- 4 mm tying platforms
- Tips 0.3 mm wide
- TC platforms
- Flat handle 7 mm wide

OF 058.01

McPHERSON TYING FORCEPS
STRAIGHT, TITANIUM



Overall length 100 mm, 3.9 inches

- 6 mm tying platforms
- Tips 0.3 mm wide
- TC platforms
- Flat handle 7 mm wide

OF 059

McPHERSON TYING FORCEPS,
TITANIUM



Overall length 98 mm, 3.9 inches

- Angled 45 degree
- 4 mm tying platforms
- Tips 0.3 mm wide
- TC platforms
- Flat handle 7 mm wide

OF 059.01

McPHERSON TYING FORCEPS,
TITANIUM



Overall length 98 mm, 3.9 inches

- Angled 45 degree
- 6 mm tying platforms
- Tips 0.3 mm wide
- TC platforms
- Flat handle 7 mm wide

OF 060

McPHERSON TYING FORCEPS
CURVED, TITANIUM



Overall length 99 mm, 3.9 inches

- 4 mm tying platforms
- Tips 0.3 mm wide
- TC platforms
- Flat handle 7 mm wide

OF 060.01

McPHERSON TYING FORCEPS
CURVED, TITANIUM



Overall length 99 mm, 3.9 inches

- 6 mm tying platforms
- Tips 0.3 mm wide
- TC platforms
- Flat handle 7 mm wide

FORCEPS

OF 042

 McPHERSON TYING FORCEPS
 STRAIGHT, TITANIUM

Overall length 105 mm, 4.1 inches

- 4 mm tying platforms
- Tips 0.3 mm wide
- TC platforms
- Flat handle 10 mm wide

OF 042.01

 McPHERSON TYING FORCEPS
 STRAIGHT, TITANIUM

Overall length 105 mm, 4.1 inches

- 6 mm tying platforms
- Tips 0.3 mm wide
- TC platforms
- Flat handle 10 mm wide

OF 042.02

 McPHERSON TYING FORCEPS
 STRAIGHT, TITANIUM

Overall length 105 mm, 4.1 inches

- 8 mm tying platforms
- Tips 0.3 mm wide
- TC platforms
- Flat handle 10 mm wide

OF 043

 McPHERSON TYING FORCEPS,
 TITANIUM

Overall length 102 mm, 4 inches

- Angled 45 degree
- 4 mm tying platforms
- Tips 0.3 mm wide
- TC platforms
- Flat handle 10 mm wide

OF 043.01

 McPHERSON TYING FORCEPS,
 TITANIUM

Overall length 102 mm, 4 inches

- Angled 45 degree
- 6 mm tying platforms
- Tips 0.3 mm wide
- TC platforms
- Flat handle 10 mm wide

OF 043.02

 McPHERSON TYING FORCEPS,
 TITANIUM

Overall length 102 mm, 4 inches

- Angled 45 degree
- 8 mm tying platforms
- Tips 0.3 mm wide
- TC platforms
- Flat handle 10 mm wide

FORCEPS

OF 044

McPHERSON TYING FORCEPS
CURVED, TITANIUM



Overall length 105 mm, 4.1 inches

- 4 mm tying platforms
- Tips 0.3 mm wide
- TC platforms
- Flat handle 10 mm wide

OF 044.01

McPHERSON TYING FORCEPS
CURVED, TITANIUM



Overall length 105 mm, 4.1 inches

- 6 mm tying platforms
- Tips 0.3 mm wide
- TC platforms
- Flat handle 10 mm wide

OF 044.02

McPHERSON TYING FORCEPS
CURVED, TITANIUM



Overall length 105 mm, 4.1 inches

- 8 mm tying platforms
- Tips 0.3 mm wide
- TC platforms
- Flat handle 10 mm wide

OF 049

TYING FORCEPS STRAIGHT,
TITANIUM



Overall length 105 mm, 4.1 inches

- 6 mm V-groove tying platforms
- Tips 0.5 mm wide
- TC platforms
- Flat handle 10 mm wide

OF 050

TYING FORCEPS,
TITANIUM



Overall length 102 mm, 4 inches

- Angled 45 degree
- 6 mm V-groove tying platforms
- Tips 0.5 mm wide
- TC platforms
- Flat handle 10 mm wide

OF 051

TYING FORCEPS CURVED,
TITANIUM



Overall length 103 mm, 4 inches

- 6 mm V-groove tying platforms
- Tips 0.5 mm wide
- TC platforms
- Flat handle 10 mm wide

FORCEPS

OF 002
**CATALANO TYING FORCEPS
CURVED, TITANIUM**

Overall length 100 mm, 3.9 inches

- 6 mm V-groove tying platforms
- TC platforms
- Round handle 8 mm dia.

OF 006
**CATALANO TYING FORCEPS
STRAIGHT, TITANIUM**

Overall length 100 mm, 3.9 inches

- 6 mm V-groove tying platforms
- TC platforms
- Round handle 8 mm dia.

OF 012
**CATALANO TYING FORCEPS,
TITANIUM**

Overall length 100 mm, 3.9 inches

- Angled 45 degree
- 6 mm V-groove tying platforms
- TC platforms
- Round handle 8 mm dia.

OF 079
**GIRARD TYING FORCEPS
STRAIGHT, TITANIUM**

Overall length 105 mm, 4.1 inches

- 4 mm tying platforms
- TC platforms
- Tips 0.25 mm wide
- Round handle 6 mm dia.

OF 079.01
**GIRARD TYING FORCEPS
STRAIGHT, TITANIUM**

Overall length 105 mm, 4.1 inches

- 6 mm tying platforms
- TC platforms
- Tips 0.3 mm wide
- Round handle 6 mm dia.

OF 079.02
**GIRARD TYING FORCEPS
STRAIGHT, TITANIUM**

Overall length 105 mm, 4.1 inches

- 8mm tying platforms
- TC platforms
- Tips 0.35 mm wide
- Round handle 6 mm dia.

FORCEPS

OF 080

GIRARD TYING FORCEPS
TITANIUM



Overall length 102 mm, 4 inches

- Angled 45 degree
- 4 mm tying platforms
- Tips 0.25 mm wide
- TC platforms
- Round handle 6 mm dia.

OF 080.01

GIRARD TYING FORCEPS
TITANIUM



Overall length 102 mm, 4 inches

- Angled 45 degree
- 6 mm tying platforms
- Tips 0.3 mm wide
- TC platforms
- Round handle 6 mm dia.

OF 080.02

GIRARD TYING FORCEPS
TITANIUM



Overall length 102 mm, 4 inches

- Angled 45 degree
- 8 mm tying platforms
- Tips 0.35 mm wide
- TC platforms
- Round handle 6 mm dia.

OF 081

GIRARD TYING FORCEPS
CURVED, TITANIUM



Overall length 105 mm, 4.1 inches

- 4 mm tying platforms
- Tips 0.25 mm wide
- TC platforms
- Round handle 6 mm dia.

OF 081.01

GIRARD TYING FORCEPS
CURVED, TITANIUM



Overall length 105 mm, 4.1 inches

- 6 mm tying platforms
- Tips 0.3 mm wide
- TC platforms
- Round handle 6 mm dia.

OF 081.02

GIRARD TYING FORCEPS
CURVED, TITANIUM



Overall length 105 mm, 4.1 inches

- 8 mm tying platforms
- Tips 0.35 mm wide
- TC platforms
- Round handle 6 mm dia.

FORCEPS

OF 004
**PIERSE TYPE MICROFORCEPS
COLIBRI, TITANIUM**

Overall length 90 mm, 3.5 inches

- 1x1 Pierse tips
- Tips 0.4 mm wide
- 0.1 mm groove
- Round handle 8 mm dia.

OF 033
**PIERSE TYPE IRIS FORCEPS
COLIBRI, TITANIUM**

Overall length 75 mm, 2.9 inches

- 1x1 Pierse tips, 0.1 mm
- Tips 0.4 mm wide
- Flat handle 9 mm wide

OF 070
**BISHOP-HARMON IRIS FORCEPS
STRAIGHT, TITANIUM**

Overall length 74 mm, 2.9 inches

- 4 mm delicate serrated tip
- Tips 0.3 mm wide
- Flat handle 6 mm wide

OF 071
**BISHOP-HARMON IRIS FORCEPS,
TITANIUM**

Overall length 72 mm, 2.8 inches

- Angled 45 degree
- 4 mm delicate serrated tips
- Tips 0.3 mm wide
- Flat handle 6 mm wide

OF 072
**BISHOP-HARMON IRIS FORCEPS
CURVED, TITANIUM**

Overall length 74 mm, 2.9 inches

- 4 mm delicate serrated tips
- Tips 0.3 wide
- Flat handle 6 mm wide

OF 073
**DVALY IRIS FORCEPS,
TITANIUM**

Overall length 72 mm, 2.8 inches

- Angled 45 degree
- 1x2 lateral teeth 0.063 mm height
- TC teeth
- Flat handle 6 mm wide

FORCEPS

OF 075

BOUVIN IRIS FORCEPS FOR
PERIPHERAL IRIDECTOMIES,
TITANIUM



Overall length 75 mm, 2.9 inches

- Angled 45 degree very delicate tips
- 1x2 teeth, 0.1 mm height
- TC teeth
- Tips 0.3 mm wide
- Flat handle 9 mm wide

OF 078

BOUVIN IRIS FORCEPS FOR
PERIPHERAL IRIDECTOMIES,
TITANIUM



Overall length 75 mm, 2.9 inches

- Angled 45 degree
- Very delicate serrated 2 mm tips
- Tips 0.4 mm wide
- Flat handle 9 mm wide

OF 067

BONN IRIS FORCEPS STRAIGHT,
TITANIUM



Overall length 74 mm, 2.9 inches

- 1x2 teeth, 0.063 mm height
- 4 mm tying platforms
- Tips 0.2 mm wide
- TC teeth and platforms
- Flat handle 6 mm wide

OF 067.01

BONN IRIS FORCEPS STRAIGHT,
TITANIUM



Overall length 74 mm, 2.9 inches

- 1x2 teeth, 0.063 mm height
- 4 mm tying platforms
- Tips 0.2 mm wide
- TC teeth and platforms
- Flat handle 6 mm wide
- 90 degree teeth

OF 068

BONN IRIS FORCEPS,
TITANIUM



Overall length 72 mm, 2.8 inches

- Angled 45 degree
- 1x2 teeth, 0.063 mm height
- 4 mm tying platforms
- Tips 0.2 mm wide
- TC teeth and platforms
- Flat handle 6 mm wide

OF 069

BONN IRIS FORCEPS CURVED,
TITANIUM



Overall length 73 mm, 2.9 inches

- 1x2 teeth, 0.063 mm height
- 4 mm tying platforms
- Tips 0.2 mm wide
- TC teeth and platforms
- Flat handle 6 mm wide

FORCEPS

OF 017
**JEWELERS FORCEPS STRAIGHT,
TITANIUM**

Overall length 110 mm, 4.3 inches

- Fine shafts with sharp pointed tips
- TC shafts 6 mm
- Flat handle 9 mm wide

OF 017.01
**JEWELERS FORCEPS STRAIGHT,
TITANIUM**

Overall length 120 mm, 4.7 inches

- Fine shafts with sharp pointed tips
- TC shafts 6 mm
- Flat handle 9 mm wide

OF 017.02
**JEWELERS FORCEPS STRAIGHT,
TITANIUM**

Overall length 110 mm, 4.3 inches

- Fine shafts with sharp pointed tips
- 6 mm tying platforms
- TC platforms
- Flat handle 9 mm wide

OF 017.03
**JEWELERS FORCEPS STRAIGHT,
TITANIUM**

Overall length 120 mm, 4.7 inches

- Fine shafts with sharp pointed tips
- 6 mm tying platforms
- TC platforms
- Flat handle 9 mm wide

OF 018
**JEWELERS FORCEPS CURVED,
TITANIUM**

Overall length 110 mm, 4.3 inches

- Fine shafts with sharp pointed tips
- TC shafts 6 mm
- Flat handle 9 mm wide

OF 018.01
**JEWELERS FORCEPS CURVED,
TITANIUM**

Overall length 110 mm, 4.3 inches

- Fine shafts with sharp pointed tips
- 6 mm tying platforms
- TC shafts 6 mm
- Flat handle 9 mm wide

FORCEPS

OF 019

JEWELERS FORCEPS STRAIGHT,
TITANIUM



Overall length 110 mm, 4.3 inches

- Fine narrowed shafts with sharp pointed tips
- TC shafts 6 mm
- Flat handle 9 mm wide

OF 019.01

JEWELERS FORCEPS STRAIGHT,
TITANIUM



Overall length 110 mm, 4.3 inches

- Fine narrowed shafts with sharp pointed tips
- 6 mm tying platforms
- TC platforms
- Flat handle 9 mm wide

OF 020

JEWELERS FORCEPS STRAIGHT,
TITANIUM



Overall length 110 mm, 4.3 inches

- Fine shafts with sharp pointed tips
- TC shafts 6 mm
- Flat handle 9 mm wide

OF 020.01

JEWELERS FORCEPS STRAIGHT,
TITANIUM



Overall length 110 mm, 4.3 inches

- Fine shafts with sharp pointed tips
- 6 mm tying platforms
- TC platforms
- Flat handle 9 mm wide

OF 020.02

JEWELERS FORCEPS STRAIGHT,
TITANIUM



Overall length 110 mm, 4.3 inches

- Fine shafts with very sharp pointed tips
- TC shafts 6 mm
- Flat handle 9 mm wide

FORCEPS

OF 104
**KOCH UNIVERSAL PREFOLDER
WITH LOCK**

Overall length 150 mm, 5.9 inches

- Round handle 6 mm dia.

OF 120
BURRATO PREFOLDER

Overall length 116 mm, 4.6 inches

- Flat handle 9 mm wide

OF 153
SIEBLE IOL FOLDING FORCEPS

Overall length 110 mm, 4.3 inches

- Flat handle 10 mm wide

OF 121
IOL FOLDING FORCEPS

Overall length 110 mm, 4.3 inches

- Flat handle 9 mm wide

OF 155
IOL FOLDING FORCEPS

Overall length 110 mm, 4.3 inches

- Round handle 6 mm dia.

OF 149
IOL FOLDING FORCEPS

Overall length 107 mm, 4.2 inches

- Round handle 6 mm dia.

FORCEPS

OF 165

BURATTO IOL IMPLANTATION
FORCEPS

Overall length 105 mm, 4.1 inches

- Flat handle 10 mm wide

OF 122

IOL IMPLANTATION FORCEPS



Overall length 104 mm, 4.1 inches

- Flat handle 10 mm wide

OF 154

BURATTO IOL IMPLANTATION
FORCEPS

Overall length 105 mm, 4.1 inches

- Round handle 6 mm dia.

OF 159

IOL IMPLANTATION FORCEPS



Overall length 110 mm, 4.3 inches

- Flat handle 10 mm wide

OF 103

IOL IMPLANTATION FORCEPS



Overall length 100 mm, 3.9 inches

- Round handle 6 mm dia.

OF 028

IOL IMPLANTATION FORCEPS



Overall length 105 mm, 4.1 inches

- Angled 45 degree
- Flat handle 10 mm wide
- Shafts 10 mm long

FORCEPS

OF 092
**FAULKNER IOL IMPLANTATION
FORCEPS, TITANIUM**

Overall length 102 mm, 4 inches

- Angled 45 degree
- 11 mm long round shafts
- 0.3 mm dia. at the tips
- Flat handle 10 mm wide

OF 027
**SCHMIDT-MUMM IOL HOLDING
FORCEPS, TITANIUM**

Overall length 108 mm, 4.3 inches

- Angled shafts with forked tips
- Flat handle 10 mm wide

OF 081
**MCDONALD IOL IMPLANTATION
FORCEPS, TITANIUM**

Overall length 100 mm, 3.9 inches

- Angled curved jaws
- Flat handle 10 mm wide

OF 089
**SOFT IOL FOLDING FORCEPS,
TITANIUM**

Overall length 110 mm, 4.3 inches

- Angled working part
- 7.5 mm thin jaws
- 0.08 mm deep Pierse type tips for grasping lens haptics
- Round handle 6 mm dia.

OF 010
**SHEPARD IOL HOLDING
FORCEPS, TITANIUM**

Overall length 122 mm, 4.8 inches

- Curved jaws
- 2 mm dia. working platforms
- TC platforms
- Round handle 8 mm dia.

OF 010.01
**SHEPARD IOL HOLDING
FORCEPS, WITH LOCK, TITANIUM**

Overall length 122 mm, 4.8 inches

- Curved jaws
- 2 mm dia. working platforms
- TC platforms
- Round handle 8 mm dia. with lock

FORCEPS

OF 016

SOFT IOL FOLDING AND
IMPLANTATION FORCEPS, WITH
LOCK, TITANIUM



Overall length 125 mm, 4.9 inches

- Angled internally polished jaws
- Round cross action handle 8 mm dia.

OF 016.01

SOFT IOL FOLDING AND
IMPLANTATION FORCEPS,
TITANIUM



Overall length 125 mm, 4.9 inches

- Angled internally polished jaws
- Round cross action handle 8 mm dia.

OF 094

SHEPARD IOL HOLDING
FORCEPS, TITANIUM



Overall length 120 mm, 4.7 inches

- Curved jaws
- 1.6x2.0 mm working platforms
- TC platforms
- Flat handle 9 mm wide

OF 095

KRAFT IOL HOLDING FORCEPS,
TITANIUM



Overall length 115 mm, 4.5 inches


- Delicate curved jaws to grasp edge of optic lens
- Flat handle 9 mm wide

FORCEPS

OF 085
**FRANCIS CHALAZION FORCEPS,
TITANIUM**

Overall length 100 mm, 3.9 inches

- Lower plate 20 mm wide
- Upper plate window 17 mm x 9 mm
- Flat handle 9 mm wide

OF 086
**DESMARRES CHALAZION
FORCEPS, TITANIUM**

Overall length 100 mm, 3.9 inches

- Lower plate 34 mm wide
- Upper plate window 31 mm x 21 mm
- Flat handle 8 mm wide

OF 087
**HUNT CHALAZION FORCEPS,
TITANIUM**

Overall length 100 mm, 3.9 inches

- Lower plate 14 mm wide
- Upper plate window 11.6 mm dia.
- Flat handle 7.5 mm wide

OF 088
**DESMARRES CHALAZION
FORCEPS, TITANIUM**

Overall length 100 mm, 3.9 inches


- Lower plate 12 mm wide
- Upper plate window 10 mm x 9 mm
- Flat handle 7.5 mm wide

FORCEPS

OF 085
**FRANCIS CHALAZION FORCEPS,
TITANIUM**

Overall length 100 mm, 3.9 inches

- Lower plate 20 mm wide
- Upper plate window 17 mm x 9 mm
- Flat handle 9 mm wide

OF 086
**DESMARRES CHALAZION
FORCEPS, TITANIUM**

Overall length 100 mm, 3.9 inches

- Lower plate 34 mm wide
- Upper plate window 31 mm x 21 mm
- Flat handle 8 mm wide

OF 087
**HUNT CHALAZION FORCEPS,
TITANIUM**

Overall length 100 mm, 3.9 inches

- Lower plate 14 mm wide
- Upper plate window 11.6 mm dia.
- Flat handle 7.5 mm wide

OF 088
**DESMARRES CHALAZION
FORCEPS, TITANIUM**

Overall length 100 mm, 3.9 inches

- Lower plate 12 mm wide
- Upper plate window 10 mm x 9 mm
- Flat handle 7.5 mm wide

FORCEPS

OF 076DRESSING FORCEPS STRAIGHT,
TITANIUM**Overall length 80 mm, 3.1 inches**

- 4 mm delicate serrated tips 0.4 mm wide
- Flat handle 7 mm dia.

OF 005.01DRESSING FORCEPS STRAIGHT,
TITANIUM**Overall length 90 mm, 3.5 inches**

- 10 mm delicate serrated tips 0.6 mm wide
- Round handle 8 mm dia.

OF 048DRESSING FORCEPS STRAIGHT,
TITANIUM**Overall length 105 mm, 4.1 inches**

- 8 mm delicate serrated tips 0.6 mm wide
- Flat handle 10 mm wide

OF 166FECHTNER CONJUNCTIVA
FORCEPS**Overall length 100 mm, 3.9 inches**

- Delicate ring jaws
- Polished finish
- Flat serrated handle 10 mm wide

FORCEPS

OF 026
**MICROSURGICAL FORCEPS
STRAIGHT, TITANIUM**

Overall length 116 mm, 4.6 inches

- 6 mm working surface
- TC working surface
- Round handle 6 mm dia.

OF 028.01
**MICROSURGICAL FORCEPS
CURVED, TITANIUM**

Overall length 116 mm, 4.6 inches

- 6 mm working surface
- TC working surface
- Round handle 6 mm dia.

OF 097
**CILJA FORCEPS NARROW,
TITANIUM**

Overall length 85 mm, 3.3 inches

- Narrowed smooth jaws
- TC tips 6 mm long
- Tips 0.4 mm wide
- Flat handle 6 mm wide

OF 098
**ZIEGLER CILJA FORCEPS,
TITANIUM**

Overall length 91 mm, 3.6 inches

- 4.5 mm rounded platforms
- TC platforms
- Flat handle 6 mm wide

OF 099
**CILJA FORCEPS WIDE,
TITANIUM**

Overall length 76 mm, 3.0 inches

- Wide 1 mm x 3 mm smooth platforms
- TC platforms
- Flat handle 6 mm wide